

Covert Shark Fin Vehicle Antenna: L-, S-, & C-band



Characteristics*


Model	VMSF-1600-6000
Frequency	1600 - 6000 MHz
Gain	5.8 dBi @ 1700 MHz 6.1 dBi @ 2100 MHz 6.6 dBi @ 2400 MHz 7.2 dBi @ 4400 MHz 5.3 dBi @ 5300 MHz
VSWR	< 3:1
Pattern	Dipole
Polarization	Vertical
Size (L x W x D)	6.7" x 2.9" x 2.4"
Weight	4 ounces
Connector Type	SMA Male (others optional)
Cable Length	10 feet

*Measured on 3' x 3' ground plane



Features

- Covert Vehicle Antenna disguised in Shark Fin Housing
- Simply install on roof of vehicle
 - Optional Magnetic Mount
- High performance operation over UAV Video Receiver bands
 - L-band: 1.7 – 1.85 GHz
 - S-band: 2.2 – 2.5 GHz
 - C-band: 4.4 – 4.95 GHz
 - 5.25 – 5.85 GHz
- 10 foot SMA male cable

VSWR



Radiation Patterns



octane is a division of Pharad, LLC. Octane is a registered trademark of Pharad, LLC. Specifications subject to change without notice.

1340 Charwood Road, Suite L • Hanover, Maryland 21076 • phone 410-590-3333 • email info@pharad.com
www.pharad.com