

# Peel & Stick Appliqué Antenna, 350 – 450 MHz




## Features


- 350 – 450 MHz operational bandwidth
- Low visibility from outside vehicle
- Ideal for mounting on non-metallic, low-loss materials such as glass, fiberglass, polyethylene, polycarbonate, and other plastics
- Easily adheres to surface
- Quick installation (< 1 minute)
- Highly efficient antenna
- Other connector options available

## Characteristics


<b>Model Number</b>	<b>AA-350-450</b>
<b>Frequency</b>	350 – 450 MHz
<b>Gain</b>	0 dBi
<b>Pattern</b>	Near omni
<b>Polarization</b>	Linear
<b>VSWR</b>	3:1
<b>Nominal Impedance</b>	50 Ohms
<b>Size</b>	11.9" × 2.0"
<b>Cable Length</b>	11"
<b>Weight</b>	0.3 oz
<b>Connector Type</b>	SMA



## Radiation Patterns



## VSWR



octane is a division of Pharad, LLC. Octane is a registered trademark of Pharad, LLC. Specifications subject to change without notice.

1340 Charwood Road, Suite L • Hanover, MD 21076 • phone 410-590-3333 • email [info@octanewireless.com](mailto:info@octanewireless.com)  
[www.octanewireless.com](http://www.octanewireless.com)